

**KÄRCHER**

# **HOT AND COLD WATER HIGH PRESSURE CLEANERS**



**KÄRCHER**

# ZERO FORCE. FULL POWER.

EASY!Force high-pressure gun,  
working without the effort.



#### **What makes the EASY!Force gun different?**

The EASY!Force trigger gun is revolutionising high-pressure cleaning with its game changing mechanical design and benefits to the user. The EASY!Force trigger gun is built in a way which sees:

#### **The water control trigger at the back of the handle instead of the front.**

Recoil from the water pushes the trigger on the back of the handle into the middle of the hand eliminating the need to form a fist and pull a trigger, making for zero holding force required.

#### **Ergonomic study - EASY!Force vs. conventional trigger guns.**

We ran an ergonomic study in Germany comparing our EASY!Force trigger gun to conventional trigger guns and the results have been verified by the Association of Electrical Engineering and also the German Agricultural Society.

Working with high-pressure cleaners is physically demanding, with professional high pressure cleaners often being used for prolonged periods of time. Clenching your hand into a fist to pull the trigger of a conventional trigger gun can lead to repetitive strain injury in the fingers, hand and wrist and can also damage the working posture in your shoulder and back.



# OUR PERFORMANCE PROMISE – WE CAN HANDLE PRESSURE.

We develop and produce our pumps and motors ourselves. In contrast to many of our competitors, our complete production process is kept in-house, and we use only carefully selected, high-quality materials for our products. The performance class of the specific high-pressure unit determines the material selection.



## OUR DIVERSE RANGE OF PRESSURE WASHERS

### Solutions for specific target groups

In addition to the standard range, Kärcher also offers target group specific high pressure cleaners that are individually tailored to the requirements of different customers.

### For independent use

Gasoline or diesel-powered high pressure cleaners from Kärcher can be used anywhere there is no power supply. If required, water can be siphoned directly from sources such as lakes, making the machines ideal for use in agriculture, construction or in public sector.

### Hot or Cold? Whatever you need

When working with high pressure, the impact pressure is key - perfect for removing non-adhesive soiling and large quantities of dirt such as dust, moss and soil. The advantages are:

- No energy costs for hot water generation
- Fewer components
- More compact design
- Cost-effective maintenance and repair



## FOR EVEN BETTER RESULTS...ACCESSORIES.

Kärcher original accessories and cleaning agents extend the range of applications of the high-pressure cleaner – from cleaning and caring for construction machines through to work preparation and repairing facades and floors. We continuously develop our accessories in order to ensure that we can meet your requirements. This results in innovative products designed to facilitate your daily cleaning tasks.

### Easy Force Gun

Order no.: 4.118-005.0



Effortless operation: our EASY!Force HP trigger gun uses the recoil force of the high-pressure jet to reduce the holding force for the operator to zero. With the Advanced version, a full ceramic valve is also used, which enables a service life up to five times longer than that of other high-pressure guns.

### Basic Foam Lance

Order no.: 4.112-054.0



Our newly developed cup foam lance provides excellent foam quality with half the cleaning agent consumption. Dosage in three stages using the integrated shutter prevents unintentional adjustment, while the robust brass base body and high-quality finishing guarantee a long service life.

### Quick Connect Coupler

Order no.: 2.115-000.0



For quickly switching between various spray lances/accessories. Perfect for the Kärcher spray unit, suitable for the trigger gun/spray lance interface.

### Power Control Spray Lance

Order no.: 4.112-045.0



For infinite, interruption-free pressure regulation directly on the spray lance, without reducing the water volume. It is also possible to mix in cleaning agents in low-pressure operation. The perfect addition to machines without Servo Control.

### Surface Cleaners

Order no.: 2.111-013.0



Surface Cleaners offer great area performance and clean splash-free. They come with a plastic or stainless steel hood (hot water operation).

### RM 838 Detergent

Order no.: 6.295-979.0




The advantages speak for themselves: faster and improved cleaning with low energy consumption and less waste water pollution. Kärcher cleaning and care agents deliver brilliant performance in industry, trade and the food industry. High-pressure cleaners and cleaning agents are perfectly balanced.



# HOT WATER MAKES THE DIFFERENCE!



## GERM-REDUCING EFFECT WHEN USING A KÄRCHER HOT WATER PRESSURE WASHER



## BENEFITS OF A KÄRCHER COIL

- Upright design for even heat distribution
- Heat Brick - prevents condensation and corrosion
- Very high efficiency > 91%
- Very low exhaust gas emissions (Low level of harmful substances according to DIN EN 267)
- Permanent ignition for very safe operation
- No risk of heating oil accumulation inside the burner



**EU**nted  
Cleaning | European  
Cleaning Machines  
Association

- High Cleaning Efficiency
- Low Energy Consumption
- Low Water Consumption

**EFFICIENCY**  
**Certified**  
FOR A CLEAN ENVIRONMENT  
ACC. IEC/EN 62826 and TS EUcle 35000

<b>GERM REDUCTION</b> 	<b>BETTER RESULTS</b> 	<b>LESS CLEANING AGENT</b> 	<b>SHORTER DRYING TIME</b> 	<b>GENTLE ON SURFACES</b> 	<b>TIME-SAVING</b> 
---------------------------	---------------------------	--------------------------------	--------------------------------	-------------------------------	------------------------

HDS UPRIGHT CLASS



Mobility at its finest.

This high-performance, robust upright machine offers outstanding maneuverability, easy transport and intuitive operation. Ideal for tradesmen, commercial use and contract cleaners.



Machine	Description	List Price
1.064-900.0	HDS 5/11 U	\$2,699

Technical Specs	
Type of current (Ph) - (V) - (Hz)	1 / 230 / 50
Socket type	1 PH / 10 Amp
Flow rate (l/min) - (l/h)	8 - 450
Operating pressure (psi) - (bar)	1,595 - 110
Max. pressure (psi) - (bar)	2,393 - 165
Max. temperature (°C)	80
Power rating (kW)	2.2
Fuel oil consumption, full load (kg/h)	2.4
Fuel tank (l)	6.5
Weight (with accessories) (kg)	68
Dimensions (L x W x H) (mm)	620 x 620 x 995

Accessories	Description	List Price	
4.118-005.0	EASY!Force advanced	\$203	■
6.110-034.0	High-pressure hose, 2 x EASY!Lock, ID 6, 250 bar, 10 m	\$230	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■
4.117-027.0	Triple jet nozzle 032	\$147	■
2.111-013.0	FR 30 Me surface cleaner	\$1,064	■
2.640-482.0	Nozzle kit for surface cleaners	\$70	■
4.114-040.0	Dirt blaster 035	\$256	■
4.112-053.0	Foam lance basic 1	\$147	■
2.115-000.0	Quick Connect coupler	\$113	■
2.115-001.0	Quick Connect union plug nipple	\$56	■
4.112-043.0	PowerControl Spray Lance 027	\$203	■





It's all in the detail.

Hot water compact class – simple operation for everyone. Innovative technology and easy handling: the compact class features one-button operation and the HDS 5/10 C and the HDS 6/14 C come with stainless steel coils.

Machine	Description	List Price
1.272-905.0	HDS 5/10 C	\$4,299
1.169-903.0	HDS 6/14 C	\$5,499
1.174-903.0	HDS 8/18-4 C	\$6,499

Technical Specs	HDS 5/10 C	HDS 6/14 C	HDS 8/18-4 C
Type of current (Ph) - (V) - (Hz)	1 / 240 / 50	1 / 240 / 50	3 / 400 / 50
Socket type	1 PH / 10 Amp	1 PH / 15 Amp	3 PH / 20 Amp
Flow rate (l/min) - (l/h)	8 - 500	10 - 600	13 - 800
Operating pressure (psi) - (bar)	1,378 - 95	2,030 - 140	2,610 - 180
Max. pressure (psi) - (bar)	1,885 - 130	2,465 - 170	3,118 - 215
Max. temperature (°C)	98	98	155
Power rating (kW)	2.2	3.6	6
Fuel oil consumption, full load (kg/h)	3.2	3.5	5
Power cord (m)	5	5	5
Fuel tank (l)	15	15	15
Weight (with accessories) (kg)	96.2	102.4	120.8
Dimensions (L x W x H) (mm)	1,060 x 650 x 920	1,060 x 650 x 920	1,060 x 650 x 920

Accessories	Description	List Price			
4.118-005.0	EASY!Force advanced	\$203	■	■	■
2.113-005.0	Power nozzle 25° - 036	\$36		■	
2.113-008.0	Power nozzle 25° - 043	\$36			■
4.117-029.0	Triple nozzle 034	\$147	■		
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192		■	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■		
6.110-034.0	High-pressure hose, 2 x EASY!Lock, ID 6, 250 bar, 10 m	\$230	■		
6.110-035.0	High-pressure hose 2 x EASY!Lock ID 6, 250 bar, 10 m, ANTI!Twist	\$259		■	■
6.295-303.0	RM 110 10 l machine protector	\$210		■	■
2.110-010.0	Hose reel attachment kit, plastic	\$519	■	■	■

- Standard issue
- Optional

\*All pricing is inclusive of GST

HDS COMPACT CLASS



Accessories	Description	List Price	HDS 5/10 C	HDS 6/14 C	HDS 8/18-4 C
4.112-053.0	Foam lance basic 1	\$147	■	■	
4.112-054.0	Foam lance basic 2	\$147			■
4.118-007.0	Servo Control < 750 l	\$125		■	
4.118-008.0	Servo Control 750l - 1100 l	\$125			■
4.112-043.0	PowerControl spray lance 027	\$203	■		
4.114-040.0	Dirt blaster 035	\$256	■		
4.114-041.0	Dirt blaster 040	\$256		■	
4.114-042.0	Dirt blaster 045	\$256			■
2.115-000.0	Quick Connect coupler	\$113	■	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■	■
2.111-013.0	FR 30 Me surface cleaner	\$1,064	■	■	■
2.640-482.0	Nozzle kit for surface cleaners	\$70	■		
2.640-401.0	Nozzle kit for surface cleaners	\$70		■	
2.639-187.0	Nozzle kit for surface cleaners	\$70			■





Jack of all trades.

The perfect hot water pressure washer for car dealers, building service contractors, agriculture and municipal use. The mid class machines set the standard in performance, ease of use, economy and service life with stainless steel coils.

Machine	Description	List Price
1.077-903.0	HDS 7/12-4 M	\$6,999
1.071-903.0	HDS 10/20-4 M	\$8,999

Technical Specs	HDS 7/12-4 M	HDS 10/20-4 M
Type of current (Ph) - (V) - (Hz)	1 / 240 / 50	3 / 420 / 50
Socket type	1 PH / 15 Amp	3 PH / 20 Amp
Flow rate (l/min) - (l/h)	12 - 700	17 - 1000
Operating pressure (psi) - (bar)	1,740 - 120	2,900 - 200
Max. pressure (psi) - (bar)	2,175 - 150	3,480 - 240
Max. temperature (°C)	80 - 155	80 - 155
Power rating (kW)	3.4	7.8
Fuel oil consumption, full load (kg/h)	4.6	6.4
Power cord (m)	5	5
Fuel tank (l)	25	25
Weight (with accessories) (kg)	155.5	159.1
Dimensions (L x W x H) (mm)	1,330 x 750 x 1,060	1,330 x 750 x 1,060

Accessories	Description	List Price		
4.118-005.0	EASY!Force advanced	\$203	■	■
6.110-038.0	Longlife high-pressure hose, 2 x EASY!Lock, ID 8, 400 bar, 10 m, ANTI!Twist	\$416	■	■
2.113-009.0	Power nozzle 25° - 047	\$36	■	
2.113-024.0	Power nozzle 25° - 052	\$36		■
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192	■	■
4.118-008.0	Servo Control 750 l - 1100 l	\$125	■	
2.111-013.0	FR 30 Me surface cleaner	\$1,064	■	■
2.640-442.0	Nozzle kit for surface cleaner	\$70		■
2.639-187.0	Nozzle kit for surface cleaner	\$70	■	
4.114-027.0	Dirt blaster 050	\$256	■	■
4.114-036.0	Dirt blaster 055/060	\$256		■
4.112-054.0	Foam lance basic 2	\$147	■	
4.112-055.0	Foam lance basic 3	\$147		■
2.115-000.0	Quick Connect coupler	\$113	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■
6.295-303.0	RM 110 10l machine protector	\$210	■	■
2.110-011.0	Hose reel attachment kit HDS M/S	\$2,455	■	■

- Standard issue
- Optional
- \*All pricing is inclusive of GST

HDS SUPER CLASS



Hot water super class – efficient in daily continuous use.

Whether the automotive industry, agriculture, construction or forwarding industry: the mobile super class with stainless steel coils offers top class performance where work once had to be carried out stationary.



Machine	Description	List Price
1.071-916.0	HDS 12/18-4 S	\$9,999
1.071-928.0	HDS 13/20-4 S	\$10,399

Technical Specs	HDS 12/18-4 S	HDS 13/20-4 S
Type of current (Ph) - (V) - (Hz)	3 / 420 / 50	3 / 420 / 50
Socket type	3 PH / 20 Amp	3 PH / 32 Amp
Flow rate (l/min) - (l/h)	20 - 1,200	22 - 1,300
Operating pressure (psi) - (bar)	2,610 - 180	2,900 - 200
Max. pressure (psi) - (bar)	3,118 - 215	3,480 - 240
Max. temperature (°C)	80 - 155	80 - 155
Power rating (kW)	8.4	9.3
Fuel oil consumption, full load (kg/h)	7.7	8.3
Power cord (m)	5	5
Fuel tank (l)	25	25
Weight (with accessories) (kg)	178	181.5
Dimensions (L x W x H) (mm)	1,330 x 750 x 1,060	1,330 x 750 x 1,060

Accessories	Description	List Price		
4.118-005.0	EASY!Force advanced	\$203	■	■
6.110-038.0	Longlife high-pressure hose, 2 x EASY!Lock, ID 8, 400 bar, 10 m, ANTI!Twist	\$416	■	■
2.113-027.0	Power nozzle 25° - 068	\$36	■	
2.113-028.0	Power nozzle 25° - 070	\$36		■
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192	■	■
4.118-009.0	Servo Control > 1100 l	\$125	■	■
2.111-013.0	FR 30 Me surface cleaner	\$1,064	■	■
2.639-188.0	Nozzle kit for surface cleaners	\$70	■	■
2.110-011.0	Hose reel attachment kit HDS M/S	\$2,455	■	■
2.112-017.0	Foam lance advanced 025	\$203	■	■
4.114-030.0	Dirt blaster 070/080	\$256	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■
6.295-488.0	RM 110 20l machine protector	\$380	■	■





Hot Water High-pressure cleaners with combustion engine - the independent ones.

Where there is no power source, high pressure cleaners with combustion engine - with optional biodiesel operation - offer maximum versatility and independence.

Machine	Description	List Price
1.210-900.0	HDS 801 B	\$8,599
1.811-942.0	HDS 1000 BE	\$14,999
1.811-943.0	HDS 1000 DE	\$16,999

Technical Specs	HDS 801 B	HDS 1000 BE	HDS 1000 DE
Flow rate (l/min) - (l/h)	10 - 600	15 - 900	15 - 900
Operating pressure (psi) - (bar)	2,103 - 145	3,045 - 210	3,045 - 210
Max. pressure (psi) - (bar)	2,900 - 200	3,335 - 230	3,335 - 230
Max. temperature (°C)	80	98	98
Fuel oil consumption, full load (kg/h)	4.1	5.6	5.6
Fuel tank (l)	21	34	34
Engine type	GX 160	GX 390	L 100
Engine manufacturer	Honda	Honda	Yanmar
Power rating (kW)	4.4	9.6	7.4
Weight (with accessories) (kg)	111	175	197
Dimensions (L x W x H) (mm)	1,168 x 862 x 767	1,100 x 750 x 785	1,100 x 750 x 785

Accessories	Description	List Price			
4.118-005.0	EASY!Force advanced	\$203	■	■	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■		
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192		■	■
4.117-032.0	Triple jet nozzle 038	\$147	■		
2.113-009.0	Power nozzle 25° - 047	\$36		■	
2.113-023.0	Power nozzle 25° - 050	\$36			■
6.110-034.0	High-pressure hose, 2 x EASY!Lock, ID 6, 250 bar, 10 m	\$230	■		
6.110-030.0	High-pressure hose 2 x EASY!Lock ID 8, 315 bar, 15 m, ANTI!Twist	\$391		■	■
4.118-008.0	Servo control 750 l - 1100 l	\$125		■	■

- Standard issue
- Optional
- \*All pricing is inclusive of GST

HDS PETROL



Accessories	Description	List Price	HDS 801 B	HDS 1000 BE	HDS 1000 DE
2.115-000.0	Quick Connect coupler	\$113	■	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■	■
2.111-013.0	FR 30 Me surface cleaner	\$1,064	■	■	■
2.640-401.0	Nozzle kit for surface cleaners	\$70	■		
2.640-442.0	Nozzle kit for surface cleaners	\$70		■	■
2.112-017.0	Foam lance advanced 025	\$203	■	■	■
2.110-005.0	Hose reel attachment kit HDS gasoline	\$897	■	■	■
6.415-428.0	Dirt blaster pipe cleaning	\$410	■	■	■
4.114-041.0	Dirt blaster 040	\$256	■		
4.114-027.0	Dirt blaster 050	\$256		■	■





Cold water compact class – for fast and thorough cleaning.

Light and powerful: these compact, all-round-machines clean courtyards and workshops in next to no time. They excel with pressure, flow rate and working time.

Machine	Description	List Price
1.520-972.0	HD 5/11 C	\$1,099
1.520-909.0	HD 5/12 C Plus	\$1,399
1.520-910.0	HD 5/12 CX Plus	\$1,699

Technical Specs	HD 5/11 C	HD 5/12 C Plus	HD 5/12 CX Plus
Type of current (Ph) - (V) - (Hz)	1 / 240 / 50	1 / 240 / 50	1 / 240 / 50
Socket Type (PH) - (Amp)	1/10	1/10	1/10
Flow rate (l/min) - (l/h)	5 - 500	5 - 500	5 - 500
Operating pressure (psi) - (bar)	1,595 - 110	1,667 - 120	1,667 - 120
Max pressure (psi) - (bar)	2,480 - 170	2,538 - 175	2,538 - 175
Power rating (kW)	2.1	2.3	2.3
Power cord (m)	5	5	5
Weight (with accessories) (kg)	24.4	24.6	26.4
Dimensions (L x W x H) (mm)	380 x 360 x 930	380 x 360 x 930	380 x 370 x 930

Accessories	Description	List Price			
4.118-005.0	EASY!Force advanced	\$203	■	■	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■	■	■
4.117-032.0	Triple jet nozzle TR 038	\$147	■	■	■
4.114-019.0	Dirt blaster 035	\$134	■	■	■
6.110-034.0	High-pressure hose, 2 x EASY!Lock, ID 6, 250 bar, 10 m	\$230	■	■	
6.110-036.0	High-pressure hose AVS hose reel connection, ID 6, 250 bar, 15 m	\$320			■
4.112-053.0	Foam lance basic 1	\$147	■	■	■
2.111-016.0	FR 30 Classic surface cleaner	\$359	■	■	■
2.885-313.0	Power nozzle for surface cleaner classic	\$70	■	■	■
4.113-004.0	Washing brush rotary	\$173	■	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■	■
4.112-045.0	PowerControl spray lance 034	\$203	■	■	■

- Standard issue
- Optional
- \*All pricing is inclusive of GST

## HD MIDDLE CLASS



The middle class clean machines, vehicles or company premises quickly and reliably. Well equipped for long and heavy-duty use.

Machine	Description	List Price
1.150-940.0	HD 6/15 Plus	\$2,049
1.150-931.0	HD 6/15 MX Plus	\$2,399
1.524-943.0	HD 7/14-4 Plus	\$2,359
1.524-977.0	HD 8/18 MXA Plus	\$3,449

Technical Specs	HD 6/15 M Plus	HD 6/15 MX Plus	HD 7/14-4M Plus	HD 8/18 MXA Plus
Type of current (Ph) - (V) - (Hz)	1 / 240 / 50	1 / 230 / 50	1 / 240 / 50	3/400/50
Socket type (Ph) - (Amp)	1/15	1/15	1/15	3/10
Flow rate (l/m) - (l/h)	9 / 560	9 / 560	12 / 700	13 / 750
Operating pressure (psi) - (bar)	2,175 - 150	2,175 - 150	2,030 / 140	2,610 / 180
Max. pressure (psi) - (bar)	2,900 / 200	2,900 / 200	2,755 / 190	3,916 / 270
Power rating (kW)	3.1	3.1	3.4	4.6
Power cord (m)	5	5	5	5
Weight (with accessories) (kg)	29	31.8	37	46.5
Dimensions (L x W x H) (mm)	400 x 455 x 700	400 x 455 x 966	400 x 455 x 700	400 x 455 x 966

Accessories	Description	List Price				
4.118-005.0	EASY!Force advanced	\$203	■	■	■	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■	■	■	■
4.114-042.0	Dirt blaster 045	\$256			■	■
4.114-040.0	Dirt blaster 035	\$256	■	■		
2.113-008.0	Power nozzle 25° - 043	\$36			■	
2.113-063.0	Power nozzle 25° - 033	\$36	■	■		
2.113-007.0	Power nozzle 25° - 042	\$36				■
4.118-008.0	Servo Control 750l - 1100l	\$125				■
6.110-035.0	High-pressure hose 2 x EASY!Lock ID 6, 250 bar, 10 m, ANTI!Twist	\$259	■		■	
6.110-037.0	High-pressure hose AVS hose reel connection, ID 6, 250 bar, 15 m, ANTI!Twist	\$346	■			■
4.112-045.0	PowerControl Spray Lance 034	\$203	■	■		
4.112-046.0	PowerControl Spray Lance 042	\$203			■	
4.112-053.0	Foam lance basic 1	\$147	■	■		
4.112-054.0	Foam lance basic 2	\$147			■	■
2.111-011.0	FR 30 surface cleaner	\$718	■	■	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■	■	■

Page 14

\*All pricing is inclusive of GST

- Standard issue
- Optional



Cold water super class – for heavy-duty continuous operation.

For construction, agriculture, industry and municipal use where maximum power is needed. Pressure, flow rates and equipment in the super class are perfectly balanced.


Machine	Description	List Price
1.286-902.0	HD 10/25-4 S	\$4,399
1.286-927.0	HD 10/25-4 SX Plus	\$4,899

Technical Specs	HD 10/25-4 S	HD 10/25-4 SX Plus
Type of current (Ph) - (V) - (Hz)	3 / 400 / 50	3 / 400 / 50
Socket type (Ph) - (Amp)	3/20	3/20
Flow rate (l/m - l/h)	16.6 - 1,000	16.6 - 1,000
Operating pressure (psi) - (bar)	3,625 - 250	3,625 - 250
Max. pressure (psi) - (bar)	3,988 - 275	3,988 - 275
Power rating (kW)	9.2	9.2
Weight (with accessories) (kg)	68	73.8
Dimensions (L x W x H) (mm)	560 x 500 x 1,090	560 x 500 x 1,090

Accessories	Description	List Price		
4.118-005.0	EASY!Force advanced	\$203	■	■
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192	■	■
2.113-009.0	Power nozzle 25° - 047	\$36	■	■
4.118-008.0	Servo Control 750 l - 1100 l	\$125	■	■
4.114-027.0	Dirt blaster 050	\$256	■	■
6.110-011.0	High-pressure hose AVS hose reel connection, ID 8, 315 bar, 20 m, ANTI!Twist	\$490		■
6.110-031.0	High-pressure hose 2 x EASY!Lock ID 8, 315 bar, 10 m, ANTI!Twist	\$272	■	
2.111-011.0	FR 30 surface cleaner	\$718	■	■
2.640-442.0	Nozzle kit for surface cleaners	\$70	■	■
2.112-017.0	Foam lance advanced 025	\$203	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■



HD CAGE



Cage high pressure cleaner - low weight, high mobility, and a durable, tubular steel frame for the toughest jobs.

Equipped for easy transport on particularly difficult surfaces: the special class from Kärcher removes stubborn dirt in difficult to reach areas.

Machine	Description	List Price
1.520-204.0	HD 5/11 Cage Classic	\$799
1.367-321.0	HD 9/18-4 Cage	\$3,759

Technical Specs	HD 5/11 Cage Classic	HD 9/18-4 Cage
Type of current (Ph) - (V) - (Hz)	1 / 230 / 50	3 / 400 / 50
Socket type	1 PH / 10 Amp	3 PH / 20 Amp
Max. feed Temp	60	60
Flow rate (l/min) - (l/h)	8.1 - 486	15 - 900
Operating pressure (psi) - (bar)	1,595 - 110	2,610 - 180
Max pressure (psi) - (bar)	2,320 - 160	3,625 - 250
Power rating (kW)	2.2	5.9
Weight (with accessories) (kg)	21.3	55.5
Dimensions (L x W x H) (mm)	475 × 335 × 340	625 × 500 × 360

Accessories	Description	List Price		
9.751-139.0	Pressure Gun classic	\$109	■	■
9.751-140.0	Spray lance, 600 mm, classic	\$73	■	■
9.751-035.0	High-pressure hose, ID 6, 10 m	\$139	■	
9.751-087.0	High-pressure hose, ID 8, 10 m	\$147		■
2.883-821.0	Power nozzle 25° - 036	\$36	■	
2.883-399.0	Power nozzle 25° - 050	\$36		■
6.401-458.0	Quick Connect coupler classic	\$137	■	■
6.401-459.0	Quick Connect union plug classic	\$60	■	■
4.763-253.0	Dirt blaster 05	\$260		■
4.763-252.0	Dirt blaster 04	\$260	■	
2.642-997.0	FR 30 surface cleaner	\$724		■
2.640-442.0	Nozzle kit for surface cleaners	\$70		■
2.643-476.0	FR 30 Classic surface cleaner	\$371	■	
2.885-312.0	Nozzle kit for FR classic	\$70	■	
6.394-968.0	Foam lance advanced 025	\$217	■	■

High-pressure cleaners with combustion engine - the independent ones.

Machine	Description	List Price			
1.187-903.0	HD 7/15 G	\$2,729			
1.187-906.0	HD 9/23 G	\$4,399			
1.187-907.0	HD 9/23 De	\$8,159			
Technical Specs		HD 7/15 G	HD 9/23 G	HD 9/23 De	
Flow rate (l/m) - (l/h)		10.8 - 650	6.7-15.5 / 400-930	6.7-15.5 / 400 -930	
Operating pressure (psi) - (bar)		2,175 - 150	580-3,335 / 40-230	580-3,335 / 40-230	
Motor type		GX 160 / gasoline	GX 390 / Petrol	L 100 / Diesel	
Engine manufacturer		Honda	Honda	Yanmar	
Power rating		3.6	8	6.8	
Pump Type		Axial Piston Pump	Axial Piston Pump	Axial Piston Pump	
Weight (with accessories) (kg)		39.5	75.5	112.5	
Dimensions (L × W × H) (mm)		790 x 608 x 1,104	866 x 722 x 1,146	866 x 722 x 1,146	
Accessories	Description	List Price			
4.118-005.0	EASY!Force advanced	\$203	■	■	■
4.112-006.0	Spray lance, 840 mm, rotating	\$176	■		
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192		■	■
2.113-006.0	Power nozzle 25° - 038	\$36	■		
2.113-010.0	Power nozzle 25° - 048	\$36		■	■
2.113-020.0	Nozzle chemical TR 25250	\$36	■	■	■
4.118-008.0	Servo Control 750l - 1100 l	\$125		■	■
6.110-034.0	High-pressure hose, 2 x EASY!Lock, ID 6, 250 bar, 10 m	\$230	■		
6.110-030.0	High-pressure hose 2 x EASY!Lock ID 8, 315 bar, 15 m, ANTI!Twist	\$391		■	■
2.110-004.0	Hose reel attachment kit for HD gasoline	\$1,243	■	■	■
2.111-011.0	FR 30 surface cleaner	\$718	■		
2.640-401.0	Nozzle kit for surface cleaners	\$70	■		
2.111-013.0	FR 30 Me surface cleaner	\$1,064		■	■
2.640-442.0	Nozzle kit for surface cleaners	\$70		■	■
4.114-041.0	Dirt blaster 040	\$256		■	■
4.114-027.0	Dirt blaster 050	\$256		■	■
2.115-000.0	Quick connect coupler classic	\$113	■	■	■
2.115-001.0	Quick Connect union plug nipple	\$56	■	■	■
4.112-055.0	Foam lance basic 3	\$147		■	■
4.112-054.0	Foam lance basic 2	\$147	■		

■ Standard issue

■ Optional

\*All pricing is inclusive of GST

HD PETROL



Image ref. HD 7/15 G EASY!,  
HD 9/23 G EASY!



Image ref. 9/23 De EASY!



Machine	Description	List Price
9.506-831.0	HD 7/20 G	\$1,795
9.506-925.0	HD 9/25 Ge	\$4,199

Technical Specs	HD 7/20 G	HD 9/25 Ge
Flow rate (l/h)	11.7 - 700	15 - 900
Operating pressure (bar/MPa)	2,610 - 180	3,625 - 250
Max. pressure (psi) - (bar)	2,900 - 200	3,988 - 275
Motor type	GX200	IGX390
Engine manufacturer	Honda	Honda
Power rating (kW)	3.4	9.7
Pump Type	Crankshaft Piston	Crankshaft Piston
Weight (with accessories) (kg)	33	99
Dimensions (L × W × H) (mm)	692 x 508 x 795	805 x 673 x 808

Accessories	Description	List Price		
9.751-139.0	Pressure Gun classic	\$109	■	■
9.751-035.0	High pressure hose, ID6, 10 m	\$139	■	
9.751-087.0	High pressure hose, ID8, 10 m	\$147		■
2.883-821.0	Power nozzle 25° - 036	\$36		■
2.883-803.0	Power nozzle 25° - 034	\$36	■	
9.751-146.0	Spray lance, 850 mm, classic	\$79	■	■
9.761-462.0	Rotating coupler	\$19	■	■
2.640-355.0	FR 30 Me surface cleaner	\$1,115	■	■
2.640-442.0	Nozzle kit for surface cleaners	\$70		■
2.639-187.0	Nozzle kit for surface cleaners	\$70	■	
6.401-458.0	Quick Connect coupler classic	\$137	■	■
6.401-459.0	Quick Connect Union plug classic	\$60	■	■
4.763-252.0	Dirt blaster 04	\$262	■	
4.763-253.0	Dirt blaster 05	\$260		■
6.394-968.0	Foam Lance advanced 025	\$203		■
6.394-969.0	Foam Lance Advanced 042	\$203	■	



Stationary high-pressure cleaners – one basis, numerous locations of use.

Kärcher stationary high-pressure cleaners are suitable wherever it is necessary to clean and disinfect several areas in a space-saving manner.

Machine	Description	List Price
9.505-250.0	HD 7/16-4 ST	\$6,299
9.505-255.0	HD 9/18-4 ST	\$7,099
9.505-265.0	HD 7/16-4 ST H SS	\$8,699
9.505-272.0	HD 9/18-4 ST H SS	\$9,199

Technical Specs	HD 7/16-4 ST	HD 9/18-4 ST	HD 7/16-4 ST H SS	HD 9/18-4 ST H SS
Type of current (Ph) - (V) - (Hz)	3 / 400 / 50	3 / 400 / 50	3 / 400 / 50	3 / 400 / 50
Flow rate (l/min) - (l/h)	13.3 - 800	16.7 - 1,000	13.3 - 800	16.7 - 1,000
Operating pressure (psi) - (bar)	2,320 - 160	2,610 - 180	2,320 - 160	2,610 - 180
Max. pressure (psi) - (bar)	2,755 - 190	2,900 - 200	2,755 - 190	2,900 - 200
Power rating (kW)	5.0	6.8	5.0	6.8
Weight (with accessories) (kg)	58.0	65	58.0	65
Weight Stainless Steel (with accessories) (kg)	62	69	62	69
Dimensions (L x W x H) (mm)	533 x 790 x 420	533 x 790 x 420	533 x 790 x 420	533 x 790 x 420
Stainless Steel Housing			Yes	Yes

Accessories	Description	List Price				
4.775-463.0	EASY!Force advanced	\$158	■	■	■	■
4.775-470.0	Servo control	\$128	■	■	■	■
4.760-664.0	Rotatable lance, 600 mm, ergonomic	\$150	■	■	■	■
4.760-660.0	1050 mm lance, rotatable, ergonomic	\$192	■	■	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■	■	■
2.115-001.0	Quick Connect Union plug nipple	\$56	■	■	■	■



HD AND HDS TRAILER



HD and HDS Trailer - The all-round mobile and self-contained solution for professional use in local authorities, construction and industry. Configurable, highly efficient, reliable and easy to use.



Machine	Description	List Price
0.300-420.0	HD 9/23 Ge Trailer	\$27,990
1.524-952.2	HDS 13/20 De Trailer	\$54,999

Technical Specs	HD 9/23 Ge Trailer	HDS 13/20 De Trailer
Flow rate (l/min) - (l/h)	15.5 - 900	21.7 - 1,300
Operating pressure (psi) - (bar)	3,335 - 230	2,900 - 200
Max. pressure (psi) - (bar)	3,915 - 270	3,480 - 240
Max. temperature (feed 12°C) (°C)	-	98
Engine manufacturer	Honda	Yanmar
Fuel Type	GX 390	Diesel
Fuel Tank	-	100 l
Power rating (kW)	9.5	9
Weight (with accessories) (kg)	440 - 570	1,440 - 1,600
Dimensions (L x W x H) (mm)	3,382 x 1,496 x 1,435	3,646 x 1,747 x 1,735

Accessories	Description	List Price		
4.118-005.0	EASY!Force advanced	\$203	■	■
4.112-000.0	Spray lance, 1050 mm, rotatable	\$192	■	■
4.118-009.0	Servo Control > 1100 l	\$125	■	■
2.115-000.0	Quick Connect coupler	\$113	■	■
2.115-001.0	Quick Connect Union plug nipple	\$56	■	■
4.114-030.0	Dirt Blaster 070/080	\$256	■	
4.114-027.0	Dirt Blaster 050	\$256		■
2.112-017.0	Foam lance advanced 025	\$203	■	■



Unheated, compact HD 7/10 CXF high-pressure cleaner. Designed for universal use in the commercial food industry and equipped with Servo Control and in-built hose reel.

Machine	Description	List Price
1.151-906.0	HD 7/10 CXF	\$3,439

Technical Specs

Type of current (Ph) - (V) - (Hz)	3/400/50
Socket type	3 PH 10 A
Max feed Temp	80
Flow rate (l/min) - (l/h)	11.7 - 700
Operating pressure (psi) - (bar)	1,450 - 100
Max. pressure (psi) - (bar)	1,740 - 120
Power rating (kW)	4.5
Weight (with accessories) (kg)	36.5
Dimensions (L x W x H) (mm)	1,330 x 750 x 1,060
Weight (with accessories) (kg)	68
Dimensions (L x W x H) (mm)	620 x 620 x 995

Accessories	Description	List Price
4.118-015.0	EASY!Force advanced food	\$283
4.112-006.0	Spray lance, 840 mm, rotating	\$176
4.118-007.0	Servo Control < 750 l	\$125
4.117-040.0	Triple jet nozzle TR 060	\$147
6.110-074.0	High-pressure hose, food grade, 1. EASY!Lock, 1. hose reel connection attachment kit, 15 m, ID 6, grey	\$376
2.112-017.0	Foam lance advanced 025	\$203
2.111-013.0	FR 30 Me surface cleaner	\$1,064
2.639-187.0	Nozzle kit for surface cleaners	\$70
6.401-458.0	Quick-fitting pipe union complete	\$137
6.401-459.0	Plug nipple	\$60
4.114-036.0	Dirt blaster TR 055/060	\$256

- Standard issue
- Optional
- \*All pricing is inclusive of GST



# ACHIEVE THE PERFECT BALANCE WITH KÄRCHER DETERGENTS

With our specially designed cleaning agents, you'll be all set for perfectly hygienic cleaning, reliably removing all typical dirt without adversely affecting surfaces.

Detergents listed below can be used with all machines.

Detergent	Description	List Price
6.295-584.0	RM 31 2.5 l oil and grease cleaner extra	\$34
6.295-068.0	RM 31 10 l oil and grease cleaner extra	\$114
6.295-579.0	RM 55 2.5 l active cleaner, neutral	\$34
6.295-090.0	RM 55 10 l active cleaner, neutral	\$114
6.295-555.0	RM 81 2.5 l active cleaner alkalisch	\$34
6.295-556.0	RM 81 10 l Active cleaner, alkaline	\$114
6.295-838.0	RM 838 20 l Foam cleaner	\$250
6.295-979.0	RM 838 3 l Foam Cleaner	\$25





Image ref. Rotating wash brush  
Order number: 4.113-005.0





For any service or support enquiries please contact 1800 Kärcher or your local Kärcher Center.

**KÄRCHER CENTER MOUNT WAVERLEY**

385 Ferntree Gully Rd, Mount Waverley, VIC 3149  
T: 1800 675 714

**KÄRCHER CENTER PARRAMATTA**

608 Church St, North Parramatta, NSW 2151  
T: (02) 9890 3279

**KÄRCHER CENTER ACACIA RIDGE**

1/1185 Beaudesert Rd, Acacia Ridge, QLD 4110  
T: (07) 3275 2341

**KÄRCHER CENTER ADELAIDE**

**Regency Plaza**

Shop 3, 269 Main North Rd, Sefton Park, SA 5083  
T: (08) 8406 2200

**KÄRCHER CENTER LTS EQUIPMENT**

123 Hammond Ave, East Wagga Wagga, NSW 2650  
T: (02) 6921 4810

**KÄRCHER CENTER LTS EQUIPMENT**

72 Mitchell St, Shepparton, VIC 3630  
T: (03) 5822 0078

**KÄRCHER CENTER ROSHER**

Unit 2/365 Victoria Rd, Malaga, WA 6090  
T: (08) 6240 5400

**KÄRCHER STORE AQUATECH**

2/891 Princes Hwy, Springvale, VIC 3171  
T: (03) 9574 0444

**KÄRCHER STORE AE MECHANICS**

1/136 Richmond Rd, Marleston, SA 5033  
T: (08) 8234 0234

**KÄRCHER STORE CLEAN EQUIP**

Unit 1/19 Wylie St, Toowoomba City, QLD 4350  
T: (07) 4632 0022

**KÄRCHER STORE LIFTEK**

11-13 Collier St, Griffith, NSW 2680  
T: (02) 6964 3328

**KÄRCHER STORE KARTAS HOBART**

172 Main Rd, Moonah, TAS 7009  
T: (03) 6272 0781

**KÄRCHER STORE KARTAS LAUNCESTON**

18 Dry St, Invermay, TAS 7248  
T: (03) 6334 0744

Email: [sales@au.karcher.com](mailto:sales@au.karcher.com)  
[Karcher.com.au](http://Karcher.com.au)